



## Product specification sheet on energy consumption

### Premium V-2R-68h 9,6 kW

The following product data are compliant with the requirements of EU regulation no. 1185/2015 for the execution of directive 2009/125/EC and no. 1186/2015 and as amendment of directive 2010/30/EC.

Technical data	Icon	Unit	Premium V-2R-68h 9,6 kW
Energy efficiency class			<b>A+</b>
Energieeffizienzindex	EEI		<b>109.0</b>
Nominal output	$P_{nom}$	kW	<b>9.6</b>
Direct output		kW	<b>9.6</b>
Indirect output		kW	<b>0.0</b>
Thermal efficiency at nominal output	$\eta_{th,nom}$	%	<b>82.0</b>
Use of auxiliary current at nominal output	$el_{max}$	kW	<b>0.0</b>
Use of auxiliary current at minimum output	$el_{min}$	kW	<b>0.0</b>
Use of auxiliary current in stand-by mode	$el_{SB}$	kW	<b>0.0</b>
Art der Wärmeleistung/Raumtemperaturkontrolle			<b>Uncontrolled room temperature / single-level</b>
Preferred combustible			<b>Moisture content of split logs <math>\leq</math> 25%</b>
Seasonal space heating energy efficiency (preferred fuel)	$\eta_S$	%	<b>72.0</b>



## Product specification sheet on energy consumption

### Premium V-2R-68h T 9,7 kW

The following product data are compliant with the requirements of EU regulation no. 1185/2015 for the execution of directive 2009/125/EC and no. 1186/2015 and as amendment of directive 2010/30/EC.

Technical data	Icon	Unit	Premium V-2R-68h T 9,7 kW
Energy efficiency class			<b>A+</b>
Energieeffizienzindex	EEI		<b>110.0</b>
Nominal output	$P_{nom}$	kW	<b>9.7</b>
Direct output		kW	<b>9.7</b>
Indirect output		kW	<b>0.0</b>
Thermal efficiency at nominal output	$\eta_{th,nom}$	%	<b>83.0</b>
Use of auxiliary current at nominal output	$el_{max}$	kW	<b>0.004</b>
Use of auxiliary current at minimum output	$el_{min}$	kW	<b>0.004</b>
Use of auxiliary current in stand-by mode	$el_{SB}$	kW	<b>0.003</b>
Art der Wärmeleistung/Raumtemperaturkontrolle	<b>Uncontrolled room temperature / single-level</b>		
Preferred combustible	<b>Moisture content of split logs <math>\leq</math> 25%</b>		
Seasonal space heating energy efficiency (preferred fuel)	$\eta_S$	%	<b>72.8</b>



## Product specification sheet on energy consumption

### Premium V-2R-68h GK 9,8 kW

The following product data are compliant with the requirements of EU regulation no. 1185/2015 for the execution of directive 2009/125/EC and no. 1186/2015 and as amendment of directive 2010/30/EC.

Technical data	Icon	Unit	Premium V-2R-68h GK 9,8 kW
Energy efficiency class			<b>A+</b>
Energieeffizienzindex	EEI		<b>110.0</b>
Nominal output	$P_{nom}$	kW	<b>9.8</b>
Direct output		kW	<b>9.8</b>
Indirect output		kW	<b>0.0</b>
Thermal efficiency at nominal output	$\eta_{th,nom}$	%	<b>83.0</b>
Use of auxiliary current at nominal output	$el_{max}$	kW	<b>0.0</b>
Use of auxiliary current at minimum output	$el_{min}$	kW	<b>0.0</b>
Use of auxiliary current in stand-by mode	$el_{SB}$	kW	<b>0.0</b>
Art der Wärmeleistung/Raumtemperaturkontrolle	<b>Uncontrolled room temperature / single-level</b>		
Preferred combustible	<b>Moisture content of split logs <math>\leq</math> 25%</b>		
Seasonal space heating energy efficiency (preferred fuel)	$\eta_S$	%	<b>73.0</b>



## Product specification sheet on energy consumption

### Premium V-2R-68h N 9,9 kW

The following product data are compliant with the requirements of EU regulation no. 1185/2015 for the execution of directive 2009/125/EC and no. 1186/2015 and as amendment of directive 2010/30/EC.

Technical data	Icon	Unit	Premium V-2R-68h N 9,9 kW
Energy efficiency class			<b>A+</b>
Energieeffizienzindex	EEI		<b>116.0</b>
Nominal output	$P_{nom}$	kW	<b>9.9</b>
Direct output		kW	<b>9.9</b>
Indirect output		kW	<b>0.0</b>
Thermal efficiency at nominal output	$\eta_{th,nom}$	%	<b>87.0</b>
Use of auxiliary current at nominal output	$el_{max}$	kW	<b>0.0</b>
Use of auxiliary current at minimum output	$el_{min}$	kW	<b>0.0</b>
Use of auxiliary current in stand-by mode	$el_{SB}$	kW	<b>0.0</b>
Art der Wärmeleistung/Raumtemperaturkontrolle	<b>Uncontrolled room temperature / single-level</b>		
Preferred combustible	<b>Moisture content of split logs <math>\leq</math> 25%</b>		
Seasonal space heating energy efficiency (preferred fuel)	$\eta_S$	%	<b>77.0</b>