



Product specification sheet on energy consumption

Sino L

The following product data are compliant with the requirements of EU regulation no. 1185/2015 for the execution of directive 2009/125/EC and no. 1186/2015 and as amendment of directive 2010/30/EC.

Technical data	Icon	Unit	Sino L
Energy efficiency class			A
Energieeffizienzindex	EEI		104.0
Nominal output	P_{nom}	kW	7.0
Direct output		kW	7.0
Indirect output		kW	0.0
Thermal efficiency at nominal output	$\eta_{th,nom}$	%	78.5
Use of auxiliary current at nominal output	el_{max}	kW	0.0
Use of auxiliary current at minimum output	el_{min}	kW	0.0
Use of auxiliary current in stand-by mode	el_{SB}	kW	0.0
Art der Wärmeleistung/Raumtemperaturkontrolle	Uncontrolled room temperature / single-level		
Preferred combustible	Moisture content of split logs \leq 25%		
Seasonal space heating energy efficiency (preferred fuel)	η_S	%	68.5



Product specification sheet on energy consumption

Sino L 6,0 kW T 3.0

The following product data are compliant with the requirements of EU regulation no. 1185/2015 for the execution of directive 2009/125/EC and no. 1186/2015 and as amendment of directive 2010/30/EC.

Technical data	Icon	Unit	Sino L 6,0 kW T 3.0
Energy efficiency class			A
Energieeffizienzindex	EEI		106.0
Nominal output	P_{nom}	kW	6.0
Direct output		kW	6.0
Indirect output		kW	0.0
Thermal efficiency at nominal output	$\eta_{th,nom}$	%	80.0
Use of auxiliary current at nominal output	el_{max}	kW	0.004
Use of auxiliary current at minimum output	el_{min}	kW	0.004
Use of auxiliary current in stand-by mode	el_{SB}	kW	0.003
Art der Wärmeleistung/Raumtemperaturkontrolle			Uncontrolled room temperature / single-level
Preferred combustible			Moisture content of split logs \leq 25%
Seasonal space heating energy efficiency (preferred fuel)	η_S	%	69.7



Product specification sheet on energy consumption

Sino L 5,9 kW 3.0

The following product data are compliant with the requirements of EU regulation no. 1185/2015 for the execution of directive 2009/125/EC and no. 1186/2015 and as amendment of directive 2010/30/EC.

Technical data	Icon	Unit	Sino L 5,9 kW 3.0
Energy efficiency class			A
Energieeffizienzindex	EEI		106.0
Nominal output	P_{nom}	kW	5.9
Direct output		kW	5.9
Indirect output		kW	0.0
Thermal efficiency at nominal output	$\eta_{th,nom}$	%	80.0
Use of auxiliary current at nominal output	el_{max}	kW	0.0
Use of auxiliary current at minimum output	el_{min}	kW	0.0
Use of auxiliary current in stand-by mode	el_{SB}	kW	0.0
Art der Wärmeleistung/Raumtemperaturkontrolle			Uncontrolled room temperature / single-level
Preferred combustible			Moisture content of split logs \leq 25%
Seasonal space heating energy efficiency (preferred fuel)	η_S	%	70.0